

LOCKING DEVICE FEATURES

Plastic release tubes allow for keyless installation

Plastic release tubes can be easily manipulated, even when wearing bulky gloves


The locking device can accommodate wire rope at up to 90 degrees, allowing it to be positioned closer to the load than other locking devices on the market, hiding it from view and creating a much more aesthetically pleasing finished product.

Neutral position of the spring-loaded tubes is locked, reducing likelihood of accidentally dropping an assembly during installation. This is much safer than release buttons found on some competing products that can be accidentally engaged

Arrows on the device clearly demonstrate the correct direction to push the wire

Two jaws grip the wire inside the device, holding the wire more securely than single-cam devices common among most competitors

Top and bottom of the locking device are symmetrical, allowing installation in either orientation



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at nVent.com/CADDY and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and/or death, and void your warranty.

©2018 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.

CADDY-WPCS-FM1334WWWEN-SpeedLink-NAEN-1805