Certificate Number
 20131029-EX2452

 Report Reference
 EX2452-20130830

 Issue Date
 2013-OCTOBER-29

Issued to: ERICO INTERNATIONAL CORPORATION

34600 SOLON RD SOLON OH 44139

This is to certify that HANGERS, PIPE representative samples of See Addendum Page

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 203 & ULC/ORD C203, Pipe Hanger Equipment for

Fire Protection Service

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>©</sup> us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carrey

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="https://www.ul.com/contactus">www.ul.com/contactus</a>



 Certificate Number
 20131029-EX2452

 Report Reference
 EX2452-20130830

 Issue Date
 2013-OCTOBER-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

#### **Band Hangers**

		Rod Size, in.			
Model	Hanger Type	in.	mm	Pipe Size, in.	Comment
115	Band Hanger	3/8	7	1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	EG, HD, FL
115	Band Hanger	1/2	PL	5, 6, 8	EG, HD, FL
115M	Band Hanger	-	10	1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	EG, HD, FL
115M	Band Hanger		12	5, 6, 8	EG, HD, FL
115N	Band Hanger	3/8	10	1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	EG, HD, FL
115N	Band Hanger	1/2	12	5, 6, 8	EG, HD, FL
FCN +	Band Hanger	3/8		1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	EG, HD
FCN +	Band Hanger	1/2	/ - T	5, 6, 8	EG, HD

+See Construction Details

EG - indicates electro-galvanized

HD - indicates hot-dipped

FL - indicates felt lined

William R. Carry

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at <a href="https://www.ul.com/contactus">www.ul.com/contactus</a>

(UL)

 Certificate Number
 20140326-EX2452

 Report Reference
 EX2452-20070223

 Issue Date
 2014-MARCH-26

Issued to: ERICO INTERNATIONAL CORPORATION

34600 SOLON RD SOLON OH 44139

This is to certify that representative samples of

HANGERS, PIPE

Standard Pipe Hanger, Types: 510 Riser Clamp, 512 Riser Clamp, 329 Side Beam Bracket, 401 Clevis, 401 Clevis, 401 Clevis, 401 Clevis, 420 Clevis, 420

420 Clevis

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 203 - Pipe Hanger Equipment for Fire Protection Service

ULC/ORD C203 - Pipe Hanger Equipment for Fire

**Protection Service** 

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>(U)</sup> us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney Director, North American Certification

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="https://www.ul.com/contactus">www.ul.com/contactus</a>

**(U)** 

 Certificate Number
 20170323- EX2452

 Report Reference
 EX2452-20050125

 Issue Date
 2017-MARCH-23

Issued to: ERICO INTERNATIONAL CORPORATION

**34600 SOLON RD** 

SOLON, OH 44139-2631 USA

This is to certify that HANGERS, PIPE

representative samples of (See addendum pages for model information.)

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 203, "Pipe Hanger Equipment for Fire Protection

Service" and ULC/ORD-C203, "Pipe Hanger Equipment for

Fire Protection Service."

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program





Certificate Number 20170323- EX2452
Report Reference EX2452-20050125
Issue Date 2017-MARCH-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

#### Addendum page:

Model Designation	Hanger Type	Rod Size	Nominal Pipe Size	Comments
401H	Clevis Hanger	1/2 in.	2-1/2, 3, 3-1/2	EG
401H	Clevis Hanger	5/8 in.	4, 5	EG
401H	Clevis Hanger	3/4 in.	6, 8	EG
410	Clevis Hanger	3/8 in.	1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	CG, EG, FL, HD, RO
410	Clevis Hanger	1/2 in.	5, 6, 8	CG, EG, FL, HD, RO
421	Clevis Hanger	1/2 in.	2-1/2, 3, 3-1/2	EG
421	Clevis Hanger	5/8 in.	4, 5	EG
421	Clevis Hanger	3/4 in.	6, 8	EG
427	Clevis Hanger	3/8 in.	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	EG
427	Clevis Hanger	1/2 in.	2-1/2, 3	EG
427	Clevis Hanger	5/8 in.	4, 5	EG
427	Clevis Hanger	3/4 in.	6, 8	EG









Certificate Number 20170323- EX2452
Report Reference EX2452-20050125
Issue Date 2017-MARCH-23

#### Addendum page (Cont.):

Model Designation	Hanger Type	Rod Size	Nominal Pipe Size	Comments
DH	Band Hanger	3/8	1, 1-1/4, 1-1/2, 2	
DH	Band Hanger	10 mm.	1, 1-1/4, 1-1/2, 2	)( of )( of )( of )( at
SR6	Surge Device	10 mm	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	To be utilized with Model 115 Band Hanger
SR6	Surge Device	3/8 in.	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	To be utilized with Model 115 Band Hanger
SR	Surge Device	3/8 in.	1, 1-1/4, 1-1/2, 2	To be utilized with Model DH Band Hanger
SR	Surge Device	10 mm.	1, 1-1/4, 1-1/2, 2	To be utilized with Model DH Band Hanger

Note - All part numbers may be followed by Rxx, where xx is a number designating package quantity. In model comment, where CG - indicates zinc coated; EG - indicates electro-galvanized; EP - indicates epoxy coated EG; FL - indicates felt-lined over EG; HD - indicates hot-dipped; PL - indicates plain finish; RO - indicates red oxide over EG; SS - indicates stainless steel.



Bruce Mahrenholz, Director North American Certification Program





 Certificate Number
 20170901-EX2452

 Report Reference
 EX2452-20170830

 Issue Date
 2017-SEPTEMBER-01

Issued to: ERICO INTERNATIONAL CORPORATION

34600 SOLON RD SOLON OH 44139

This is to certify that HANGERS, PIPE

representative samples of Refer Addendum Page For Models/Product

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 203 and ULC/ORD C203 - Standards for Pipe Hanger

Equipment for Fire Protection Service.

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program





 Certificate Number
 20170901-EX2452

 Report Reference
 EX2452-20170830

 Issue Date
 2017-SEPTEMBER-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Hanger Type	Rod Size, in.	NPS+	Comment
RS	Retaining Strap	n/a	n/a	For use with C- Clamps and Beam Clamps

+NPS - Nominal Pipe Size



Bruce Mahrenholz, Director North American Certification Program





Certificate Number 20190406-EX2452
Report Reference EX2452-20190329

Issue Date 2019-April-06

Issued to: ERICO INTERNATIONAL CORPORATION

**34600 SOLON RD** 

SOLON OH 44139-2631

This certificate confirms that HANGERS, PIPE

representative samples of Band hanger Model 100T

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 203, ULC/ORD C203, Pipe Hanger Equipment for Fire

Protection Service

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program





Certificate Number EX2452

Report Reference EX2452-20100628
Issue Date 2019-DECEMBER-20

Issued to: ERICO INTERNATIONAL CORPORATION

**34600 SOLON RD** 

SOLON OH 44139-2631

This certificate confirms that HANGERS, PIPE

representative samples of Refer to Addendum page for models

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 203 - Pipe Hanger Equipment for Fire Protection Service

ULC/ ORD C203 - Pipe Hanger Equipment for Fire

**Protection Service** 

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>



Certificate Number EX2452

Report Reference EX2452-20100628
Issue Date 2019-DECEMBER-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

#### **MODELS**

USL, CNL Universal Beam Clamps

UILU	Rod Size		Maximum	AU AU AU AU AU AU A	
Model No.	in.	<u>mm</u>	Pipe <u>Size, in.</u>	Comments	
280	3/8	VE-V	Up to 4	EG, HD, PL; Set Screw Size, 3/8-16UNC in.	
280	1/2	. Л. Ү. Г. Л	Up to 8	EG, HD, PL; Set Screw Size, 1/2-13UNC in.	
290	3/8	<u>-</u>	Up to 4	EG, HD, PL; Set Screw Size, 3/8-16UNC in.	
290	1/2		Up to 8	EG, HD, PL; Set Screw Size, 1/2-13UNC in.	
300	3/8	M10	Up to 4	EG, PL; Set Screw Size, 3/8-16UNC in	
300	1/2	M12	Up to 8	EG, PL; Set Screw Size, 7/16-14UNC in.	
300 <sup>+</sup>	N -/	M16	Up to 8	EG, PL	
300 <sup>+</sup>	5/8	WH. W	Up to 10	EG, PL	
300	5/8	-/\TL/\	Up to 10	EG, PL; Set Screw Size, 7/16-14UNC in.	
300	3/4	-	Up to 10	EG, PL; Set Screw Size, 7/16-14UNC in.	
300	7/8	7/ H - 7/	Up to 12	EG, PL; Set Screw Size, 7/16-14UNC in.	
310	3/8	M10	Up to 4	EG, PL; Set Screw Size, 3/8-16UNC in	
310	1/2	M12	Up to 8	EG, PL; Set Screw Size, 1/2-13UNC in.	

NPS = Nominal pipe size

CG - indicates zinc coated

EG - indicates electro-galvanized

EP - indicates epoxy coated EG

FL - indicates felt-lined over EG

HD - indicates hot-dipped

PL - indicates plain finish

RO - indicates red oxide over EG

SS indicates stainless steel



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>



Certificate Number EX2452

Report Reference EX2452-20191218
Issue Date 2019-DECEMBER-20

Issued to: ERICO INTERNATIONAL CORPORATION

**34600 SOLON RD** 

SOLON OH 44139-2631

This certificate confirms that HANGERS, PIPE representative samples of Riser Clamp - EZR

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: Standard for Pipe Hanger Equipment for Fire Protection

Service, UL 203

Pipe Hanger Equipment for Fire Protection Service,

ULC/ORD C203.

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program





Certificate Number EX2452

Report Reference EX2452-2013-08-31

Date 2022-February-01

Issued to: ERICO INTERNATIONAL CORPORATION

**34600 SOLON RD** 

SOLON OH, 44139-2631 US

This is to certify that HANGERS, PIPE representative samples of See Addendum P

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 203, Pipe Hanger Equipment for Fire Protection Service

ULC/ORD C203, Pipe Hanger Equipment For Fire

**Protection Service** 

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.






Certificate Number EX2452

**Report Reference** EX2452-2013-08-31

Date 2022-February-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

USL, CNL- HANGERS, PIPE - Model - SBC



Bruce Mahrenholz, Director North American Certification Program

UL LLC

(U<sub>L</sub>)